

FACE VIEW
SHOWN WITH 18'-0"L X 9'-6"H TRIM KIT,
USING FRAME

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 18'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS

POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS - (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.


ESTIMATED WEIGHT: 1,307 LBS.

- GENERAL NOTES:
- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
 - * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL
RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

FAIR-PLAY	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.		
	TITLE FACE VIEW FOR 162 X 288 RS SF OUTDOOR 16MM	DRAWN BY BEW	B MODEL 16MM
		DATE 01-07-21	
		SCALE 3/8"=1'-0"	
6110 AVIATOR DRIVE HAZELWOOD, MO 63042	DWG. NO. 01-0916-454-1		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY



FACE VIEW
SHOWN WITH 20'-0"L X 9'-6"H TRIM KIT,
USING FRAME

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 20'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS

POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS - (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,396 LBS.

- GENERAL NOTES:
- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
 - * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

FAIR-PLAY

6110 AVIATOR DRIVE
HAZELWOOD, MO 63042

TITLE

FACE VIEW FOR
162 X 288 RS SF
OUTDOOR 16MM

DRAWN BY
BEW

DATE
03-05-21

SCALE
3/8"=1'-0"

B

DWG. NO.
01-0916-455-1

MODEL

16MM

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 24'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS


POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS - (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,556 LBS.

- GENERAL NOTES:
- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
 - * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL
RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



FACE VIEW
SHOWN WITH 24'-0"L X 9'-6"H TRIM KIT,
USING FRAME

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

FAIR-PLAY	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.			
	TITLE FACE VIEW FOR 162 X 288 RS SF OUTDOOR 16MM	DRAWN BY BEW	B	MODEL 16MM
		DATE 01-07-21		
		SCALE 3/8"=1'-0"		
6110 AVIATOR DRIVE HAZELWOOD, MO 63042	DWG. NO. 01-0916-456-1			

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 26'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS


POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS – (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,636 LBS.

GENERAL NOTES:
* REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
* POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL
RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



FACE VIEW
SHOWN WITH 26'-0"L X 9'-6"H TRIM KIT,
USING FRAME

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:		SIGNATURE:	DATE:
REFERENCE #:		PRINT NAME:	

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

6110 AVIATOR DRIVE
HAZELWOOD, MO 63042

FAIR-PLAY

TITLE

FACE VIEW FOR
162 X 288 RS SF
OUTDOOR 16MM

DRAWN BY
BEW

DATE
01-07-21

SCALE
3/8"=1'-0"

B

DWG. NO.
01-0916-457-1

MODEL

16MM

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 27'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS


POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS – (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,676 LBS.

GENERAL NOTES:
* REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
* POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL
RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



FACE VIEW
SHOWN WITH 27'-0"L X 9'-6"H TRIM KIT,
USING FRAME

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

FAIR-PLAY 6110 AVIATOR DRIVE HAZELWOOD, MO 63042	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.			
	TITLE FACE VIEW FOR 162 X 288 RS SF OUTDOOR 16MM	DRAWN BY BEW	B	MODEL 16MM
		DATE 01-07-21		
		SCALE 3/8"=1'-0"		
		DWG. NO. 01-0916-458-1		

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 28'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS


POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS - (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,716 LBS.

- GENERAL NOTES:
- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
 - * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

FAIR-PLAY	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.			
	TITLE FACE VIEW FOR 162 X 288 RS SF OUTDOOR 16MM	DRAWN BY BEW	B	MODEL 16MM
		DATE 01-07-21		
		SCALE 1/4"=1'-0"		
6110 AVIATOR DRIVE HAZELWOOD, MO 63042	DWG. NO. 01-0916-459-1			

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 32'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS


POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:
DISPLAY POWER CONSUMPTION: 11,700 WATTS.
MULTIPLE 120 VAC, 60 Hz., CONNECTIONS - (L1, N, G) POWER
CONNECTION BETWEEN DISPLAY AND DISCONNECT BOX.

CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 1,876 LBS.

- GENERAL NOTES:
- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
 - * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



FACE VIEW
SHOWN WITH 32'-0"L X 9'-6"H TRIM KIT,
USING FRAME

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

A	REMOVED NOTES	03-05-21	BEW
OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY

FAIR-PLAY	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.			
	TITLE FACE VIEW FOR 162 X 288 RS SF OUTDOOR 16MM	DRAWN BY BEW	B	MODEL 16MM
		DATE 01-07-21		
		SCALE 1/4"=1'-0"		
6110 AVIATOR DRIVE HAZELWOOD, MO 63042	DWG. NO. 01-0916-460-1			

162 X 288 16MM OUTDOOR REAR SERVICE SINGLE-FACE
TL VISION FULL-COLOR DIGITAL VIDEO DISPLAY

ACTIVE AREA: 15'-9"L X 8'-10 5/16"H
CABINET SIZE: 36'-0"L X 9'-6"H X 9 1/4"D, 2-SHIPPING SECTIONS

POWER: RECOMMENDED CUSTOMER PROVIDED DISCONNECT SIZE:

DISPLAY POWER CONSUMPTION: 11,700 WATTS.

MULTIPLE 120 VAC, 60 Hz., CONNECTIONS – (L1, N, G) POWER
CONNECTION BETWEEN TL VISION DISPLAY AND DISCONNECT BOX.


CONTROL CONSOLE: CUSTOMER SPECIFIED.

LEDs: RGB LED.

ESTIMATED WEIGHT: 2,036 LBS.

GENERAL NOTES:

- * REFERENCE 01-0500-01 FOR INSTALLATION NOTES.
- * POWER REQUIREMENTS ARE VALID FOR 90 DAYS AFTER THE ORIGINAL
RELEASE OR BY THE MOST RECENT REVISION OF THE DRAWING.



FACE VIEW
SHOWN WITH 36'-0"L X 9'-6"H TRIM KIT,
USING FRAME

CUSTOMER APPROVAL:		MY SIGNATURE BELOW SIGNIFIES MY APPROVAL TO PROCEED WITH THE DESIGN WORK SPECIFIED HEREIN AND ACKNOWLEDGEMENT THAT I HAVE RECEIVED AND READ THE INSTALLATION SPECIFICATIONS CONTAINED IN FAIR-PLAY DOCUMENT NO. 01-0500-01. CONSULT YOUR FAIR-PLAY SALES ASSOCIATE IF YOU SHOULD HAVE ANY QUESTIONS OR REQUIRE ANY CHANGES TO THIS DOCUMENT.	
PROJECT:	SIGNATURE:	DATE:	
REFERENCE #:	PRINT NAME:		

FAIR-PLAY	THIS DOCUMENT CONTAINS FAIR-PLAY PROPRIETARY INFORMATION. ANY DISCLOSURE, USE OR DUPLICATION OF THE DOCUMENT OR OF ANY INFORMATION CONTAINED THEREIN FOR OTHER THAN THE SPECIFIC PURPOSE FOR WHICH IT WAS DISCLOSED IS EXPRESSLY PROHIBITED, EXCEPT AS MAY BE OTHERWISE AGREED TO IN WRITING. COPYRIGHT 2019.		
	TITLE FACE VIEW FOR 162 X 288 16MM OUTDOOR TL VISION	DRAWN BY BEW	B MODEL 16MM TL VISION
		DATE 01-07-21	
		SCALE 1/4"=1'-0"	
6110 AVIATOR DRIVE HAZELWOOD, MO 63042		DWG. NO. 01-0916-461-1	

OR	ORIGINAL RELEASE	01-07-21	BEW
REV.#	CHANGE	DATE	BY