

CAPTIONS (H" x W")

NO	4" x 6"
F	4" x 3"
PTS	4" x 8"
KILLS	4" x 12"
DIGS	4" x 10"

DIGIT SIZES (H")

FOULS	6"
PLAYER	6"
POINTS	6"
KILLS	6"
DIGS	6"

MODEL: SP-3606-4



DIMENSIONS

Height	Length	Depth	Weight
5'-6"	3'-0"	4"	160 lbs. (Both panels)

STANDARD EQUIPMENT

- Energy efficient LED designs
- Amber, Green, Red LED digit color to game information
- 4-level control console display brightness adjustment
- 5-year limited warranty
- Easy access built-in service points
- Quality engineered water resistant aluminum
- Complete, secure and durable display mounting
- Built-in lightning suppressor (for standard data direct wire only)
- Request a free project design rendering
- Help Desk Support
- USA Factory authorized national and local sales, service and installation

OPTIONAL EQUIPMENT

- Full-color electronic message displays
- Integrated scoring and display systems
- Illuminated, non-illuminated identification and sponsorship signage
- Personalized vinyl home team name
- Scoreboard caption color (other than white)
- Custom, unique signage options
- Scoreboard control carrying case
- Truss and decorative steel systems
- Power lightning protector or protective net

Please see Color Chart PDF for all scoreboard color options.

UV resistant custom paint & vinyl trim colors available.

ELECTRICAL (Both panels)

Voltage	Hertz	Watts	AMPS	Phase	Wiring	Circuits Required	Safety Listing	Scoreboard Display	Control Console
120 VAC	60	226	2	1	2-Wire	1	ETL/CETL	-22° to 131° F	-30° to 55° C 32° to 131° F 0° to 55° C

OPERATING TEMPERATURES

All weights and measures are approximate. To confirm specifications please contact your local Fair-Play representative.

For applicable models, consult with a sales representative on the following:

- Choice of Fair-Play's scorekeeper approved score systems
- Electronic Team Names
- Rear-illuminated scoreboard captions or scoreboard sport-conversion captions (electronic)
- Changeable scoreboard game captions — electronic available, operated via control
- Integrated, second operator statistics control