

DIGIT SIZES (H")

Game Clock 6"
Shot Clock 12"

MODEL: ST-1425-3S-4



*(1) Horn located
on right side of
one face

DIMENSIONS

Height

2'-0"

Length

3'-2.25"

Depth

4.75"

Weight

96 lbs.

STANDARD EQUIPMENT

- 2'-2" Face only
- Face 1 shown, faces 2 & 3 typical
- (1) Horn located on the right side of one face
- Energy efficient LED designs
- Two distinct LED digit colors to visually organize critical game information
- For additional cost - specify on order if standard color other than black is requested
- Heavy-duty, vibrating horn (103 dB)
- 4-level control console display brightness adjustment
- 5-year limited warranty
- Easy access built-in service points
- Complete, secure and durable display mounting
- Built-in lightning suppressor (for standard data direct wire only)
- Request a free project design rendering
- Help Desk Support
- USA Factory authorized national and local sales, service and installation

OPTIONAL EQUIPMENT

- If wireless ordered, cable not required
- Full-color electronic message displays
- Integrated scoring and display systems
- Illuminated, non-illuminated identification and sponsorship signage
- Custom, unique signage options
- Scoreboard control carrying case
- Truss and decorative steel systems
- Power lightning protector or protective net

Please see Color Chart PDF for
all scoreboard color options.

UV resistant custom paint &
vinyl trim colors available.

ELECTRICAL

Voltage	Hertz	Watts	AMPS	Phase	Wiring	Circuits Required	Safety Listing	Scoreboard Display	Control Console
120 VAC	60	84	0.7	1	2-Wire + ground	1	ETL/CETL	-22° to 131° F	-30° to 55° C

OPERATING TEMPERATURES

All weights and measures are approximate. To confirm specifications please contact your local Fair-Play representative.

For applicable models, consult with a sales representative on the following:

- Choice of Fair-Play's scorekeeper approved score systems
- Electronic Team Names
- Rear-illuminated scoreboard captions or scoreboard sport-conversion captions (electronic)
- Changeable scoreboard game captions — electronic available, operated via control
- Integrated, second operator statistics control